DDDDDDDDDDDD RRRRI	RRRRRRR RRRRRRR RRRRRRRR		VVV VVV	VVV VVV		RRRRR	RRRRRRR RRRRRRR RRRRRRR	
DDD DDD RRR	RRR	iii	VVV	VVV	EEE	RRR		RRR
DDD DDD RRR	RRR	111	VVV	VVV	EEE	RRR		RRR
DDD DDD RRR	RRR	111	VVV	VVV	EEE	RRR		RRR
DDD DDD RRR	RRR	iii	VVV	VVV	ĒĒĒ	RRR		RRR
DDD DDD RRR	RRR	III	VVV	VVV	EEE	RRR		RRR
	RRRRRRRR	III	VVV	VVV	EEEEEEEEEE		RRRRRRR	
	RRRRRRRR	111	VVV	VVV	EEEEEEEEEEE		RRRRRRR	
DDD DDD RRRRI	RRRRRRRR	111	VVV	VVV	EEEEEEEEEEE	RRR	RRRRRRR	
DDD DDD RRR	RRR	111	VVV	VVV	EEE	RRR	RRR	
DDD DDD RRR	RRR	iii	VVV	VVV	ĒĒĒ	RRR	RRR	
DDD DDD RRR	RRR	111	VVV	VVV	EEE	RRR	RRR	
DDD DDD RRR	RRR	III	VVV	VVV	EEE	RRR	RRR	
DDD DDD RRR	RRR	!!!	VVV	VVV	EEE	RRR	RRR	000
DDDDDDDDDDDD RRR	RRR	111111111	V/		EEEEEEEEEEEEEE	RRR		RRR
DDDDDDDDDDD RRR	RRR	111111111	V		EEEEEEEEEEEE	RRR		RRR

_1

	MM	DDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDD	RRRRRRRR RR	VV	RRRRRRRR RRRRRRRR RR RR RR RR RR RR RRRRRR	
MM MM MMMM MMM MMMM MMM MM	AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA	PPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPPP				

EXES: TMDRIVER

16-SEP-1984 04:32

VAX-11 Linker V04-00

Page

Object Module Synopsis!

file Module Name Ident Bytes Creation Date Creator V04-000 V04-000 V04-000 4942 _\$255\$DUA28:[DRIVER.OBJ]DRIVER.OLB;1 16-SEP-1984 00:06 VAX/VMS Macro V04-00 0 _\$255\$DUA28:[SYSOBJ]SYS.STB;1 16-SEP-1984 04:00 VAX-11 Linker V04-00 0 _\$255\$DUA28:[SYSLIB]STARLET.OLB;2 16-SEP-1984 01:18 VAX/VMS Macro V04-00 IMDRIVER SYS SSDEF

_\$255\$DUA28:[DRIVER.OBJ]TMDRIVER.EXE:1

F 5 16-SEP-1984 04:32 VAX-11 Linker V04-00

Page

Image Section Synopsis!

Base Addr Disk VBN PFC Protection and Paging Cluster Type Pages Global Sec. Name Match Majorid Minorid

DEFAULT_CLUSTER 2 10 00000000 2 O READ WRITE COPY ON REF

Key for special characters above:

- Relocatable !

16-SEP-1984 04:32 VAX-11 Linker V04-00 _\$255\$DUA28:[DRIVER.OBJ]TMDRIVER.EXE;1 Program Section Synopsis! Length Align Attributes Psect Name Module Name Base 128.) BYTE O NOPIC, USR, CON, REL, LCL, NOSHR, EXE, RD, WRT, NOVEC 128.) BYTE O 00000000 0000007F 00000080 (\$\$\$105_PROLOGUE TMDRIVER 4814.) LONG 2 NOPIC, USR, CON, REL, LCL, NOSHR, EXE, RD, WRT, NOVEC 4814.) LONG 2 00000080 0000134D 000012CE (00000080 0000134D 000012CE (\$\$\$115_DRIVER IMDRIVER

DE

! Symbol Cross Reference !

Symbol	Value	Defined By	Referenced By
ACPSACCESS ACPSDEACCESS	80008B24 80008B55	SYS	TMDRIVER TMDRIVER
ACPSMODIFY ACPSMOUNT	80008BAB 80008BB3 80008BD2 80008C11	SYS	TMDRIVER TMDRIVER
ACPSREADBLK ACPSWRITEBLK	80008BD2 80008C11	SYS	TMDRIVER TMDRIVER
ERLSDEVICERR ERLSDEVICTMO	8000CA05	SYS	TMDRIVER TMDRIVER
EXESTOFORK EXESONEPARM	8000A044 800094C9	SYS	TMDRIVER TMDRIVER
EXESSETMODE EXESSIDE VMSG	800096AC 80001A24	SYS	TMDRIVER TMDRIVER
EXESZEROPARM IOCSCANCELIO	800094CF 8000CD71	SYS	TMDRIVER TMDRIVER
IOCSDIAGBUFILL	8000CDCC 8000DB04	SYS	TMDRIVER TMDRIVER
IOCSMNTVER IOCSRELCHAN	8000CF43 8000CDFB	SYS	TMDRIVER TMDRIVER
IOCSRELSCHAN IOCSREQCOM	8000CDF1 8000CEB4	SYS	TMDRIVER TMDRIVER
IOCSREQPCHANL IOCSREQSCHANL	8000CE5B 8000CE48	SYS	TMDRIVER TMDRIVER
IOCSRETURN IOCSWFIKPCH	8000D355 8000D356	SYS	TMDRIVER TMDRIVER
IOCSWFIRLCH MMGSGL_SPTBASE	8000D378 80003F3C	SYS	TMDRIVER TMDRIVER
MSGS DEVOFFLIN	00000005	SYS\$SSDEF SYS	TMDRIVER TMDRIVER
PRS IPL SYSSGL_OPRMBX	00000012 80001500	SYS	TMDRIVER TMDRIVER
SYSSK VERSION	48513258 00000080-R	SYS	TANK TEN
TMSINT	0000128C-R	TMDRIVER	

16-SEP-1984 04:32 VAX-11 Linker V04-00

Page

D D

D D D D D D D D D D D D

D

D D D

D D

D D D D

D

D D

Key for special characters above:

EXESONEPARM

EXESONEPARM
EXESZEROPARM
EXESSETMODE
MTSCHECK ACCESS
EXESIOFORK
ERLSDEVICERR
ERLSDEVICTMG
IOCSCANCELIO
IOCSDIAGBUFILL
IOCSRELSCHAN
IOCSRECCHANL
IOCSREGCHANL

IOCSREQPCHANL

IOCSREQCOM IOCSMNTVER IOCSRETURN

IOCSWFIKPCH

IOC\$LOADMBAMAP

- Undefined - Universal - Relocatable ! X - External

```
$255$DUA28:[DRIVER.OBJ]TMDRIVER.EXE:1
                                                                                                                             VAX-11 Linker V04-00
                                                                                                                                                                           Page
                                                                       Image Synopsis!
Virtual memory allocated:
                                                                       00000000 000013ff 00001400 (5120. bytes, 10. pages)
Stack size:
                                                                                O. pages
Image header virtual block limits:
Image binary virtual block limits:
Image name and identification:
Number of files:
                                                                                                          1. block)
                                                                                                         O. blocks)
                                                                       IMDRIVER VO4-000
Number of modules:
Number of program sections:
Number of global symbols:
Number of cross references:
Number of image sections:
                                                                      NOPIC, SHAREABLE. Global Section Match=EQUAL, Ident, Major=18, Minor=14906510 FULL WITH CROSS REFERENCE in file _$255$DUA28:[DRIVER.LIS]TMDRIVER.MAP;1
Image type:
Map format:
Estimated map length:
                                                                       24. blocks
                                                                   Link Run Statistics !
Performance Indicators
                                                                      Page faults CPU Time
                                                                                                                Elapsed Time
                                                                                          00:00:00.28
00:00:01.33
00:00:00.13
                                                                                   28
      Command processing:
                                                                                                                 00:00:02.04
      Pass 1:
                                                                                                                 00:00:10.91
                                                                                                                00:00:00.80
      Allocation/Relocation:
                                                                                          00:00:00.52
00:00:00.27
00:00:00.05
      Pass 2:
                                                                                                                00:00:00.29
      Map data after object module synopsis:
      Symbol table output:
                                                                                                                 00:00:00.88
Total run values:
                                                                                          00:00:02.58
                                                                                                                 00:00:17.63
                                                                                  120
```

Using a working set limited to 600 pages and 77 pages of data storage (excluding image)

Total number object records read (both passes): 254
of which 69 were in libraries and 2 were DEBUG data records containing 76 bytes

Number of modules extracted explicitly = 1 with 1 extracted to resolve undefined symbols

1 library searches were for symbols not in the library searched

A total of 4 global symbol table records was written

LINK/USERLIB=PROC/NOSYSSHR/NOTRACEBACK/NODEBUG/SHARE=EXE\$:TMDRIVER/CONTIGUOUS/MAP=MAP\$:TMDRIVER/FULL/CROSS LIB\$:DRIVER/INCLUDE=TMDRIVER,EXSM:SYS.STB/SELECTIVE,SYS\$INPUT/OPTION
BASE=0

0106 AH-BT13A-SE

DIGITAL EQUIPMENT CORPORATION CONFIDENTIAL AND PROPRIETARY

